	Sheet List	
Sheet Number	Sheet Name	Sheet Issue Date
A-000	Title Sheet	12/17/13
C-001	Civil Plan	10/10/13
C-002	Civil Section	10/10/13
C-003	Civil Details	10/10/13
L-001	Landscape Plan	11/27/13
L-002	Landscape Material Board	11/27/13
L-003	Landscape Material Board	11/27/13
A-010	SITE PLAN	12/17/13
A-100	BSMT, FIRST & SECOND FLOOR PLAN	12/17/13
A-101	SECOND, MEZZANINE & ROOF LEVELS	12/17/13
A-300	EXTERIOR ELEVATIONS	12/17/13
A-301	PERSPECTIVE	12/17/13
A-302	PERSPECTIVE	12/17/13
A-303	SITE CONTEXT	12/17/13



PROPOSED 318 BEACON STREET RESIDENCES

12-17-2013 SUBMISSION

CLIENT
Beacon Street Partners LLC

ARCHITECT KHALSA DESIGN INC. 17 IVALOO STREET, SUITE 400 SOMERVILLE, MA 02143 T:(617)-591-8682

LANDSCAPE ARCHITECTS
Blair Hines Design Associates, LLC 318 Harvard Street suite 25 Brookline, MA 02446 T: 617-735-1180 F: 617-608-5025

CIVIL ENGINEER Design Consultants Inc. 120 Middlesex Avenue Somerville, MA 02145 T: 617-776-3350

WEALTH OF ME

PROJECT NAME

BEACON RESIDENCES

PROJECT ADDRESS

318 BEACON STREET SOMERVILLE MA

Beacon Street Partners LLC

KHALSA DESIGN INC.





17 IVALOO STREET SUITE 400 SOMERVILLE, MA 02143 TELEPHONE: 617-591-8682 FAX: 617-591-2 CONSULTANTS:


REVISIONS


Title Sheet

A-000











PERMIT SET 20 FEET P:\2013 PROJECTS\2013-108 318 BEACON ST SOMERVILLE\DWG_ENGINEERING\2013-108 SITE PLAN & DETAILS.DWG Design Consultants, Inc. PROJECT NO. 2013-108 PLAN OF LAND IN DESIGN: SBS SCALE: PROFILE & SECTION Consulting Engineers and Surveyors DRAFTING: SSW SOMERVILLE, MASSACHUSETTS HORIZ: __1"= 5' DATE: OCT. 10, 2013 CHECKED: DG 68 PLEASANT STREET NEWBURYPORT, MA 01950 978-358-7173 PREPARED FOR SHEET NO. 318 BEACON STREET APPROVED: SBS GFC DEVELOPMENT, INC. 2 or 3



QTY	LATIN NAME	COMMON NAME	SIZE	
S				
1	Acer palmatum 'Bloodgood'	Japanese Maple 'Bloodgood'	2 - 2.5" cal.	B&I
3	Thuja occidentalis 'Emerald'	'Emerald Green' Arborvitae	7-8' ht.	B&I
IBS/VIN	IES			
3	Buxus sempervirens	Globe Boxwood	15-18" ht.	
1	Clematis 'Jackmanii'	Clematis	2 gal	
NNIAL	S/GRASSES			
15	Astilbe 'Deutschland'	Astilbe	l gal	
13	Athyrium niponicum 'Pictum'	Japanese Painted Fern		
5	Ajuga reptans 'Burgundy Glow'	Bugleweed		
9	Equisetum hyemale	Horsetail	100 To 100	
9	Festuca ovina 'Elijah Blue'	Blue fescue		
16	Hakonechloa macra 'Aureola'	Hakone grass	-	
14	Gaura lindheimeri 'Whirling Butterflies'	Wand Flower		
21	Pennisetum alopecuroides 'Hameln'	Dwarf fountain grass	2 gal	
	S 3 3 1 1 1 1 1 1 1 1	I Acer palmatum 'Bloodgood' I Thuja occidentalis 'Emerald' IBS/VINES I Suxus sempervirens I Clematis 'Jackmanii' NNIALS/GRASSES IS Astilbe 'Deutschland' IA Athyrium niponicum 'Pictum' Ajuga reptans 'Burgundy Glow' Equisetum hyemale Festuca ovina 'Elijah Blue' Hakonechloa macra 'Aureola' Hakonechloa macra 'Aureola' Gaura lindheimeri 'Whirling Butterflies'	I Acer palmatum 'Bloodgood' Japanese Maple 'Bloodgood' 'Emerald Green' Arborvitae BISS/VINES BISS/VINES BISS/VINES BISS/VINES Clematis 'Jackmanii' Clematis NNIALS/GRASSES SAstilbe 'Deutschland' Astilbe Astilbe 'Deutschland' Japanese Painted Fern Alyaga reptans 'Burgundy Glow' Bugleweed Augusteum hyemale Horsetail Festuca ovina 'Elijah Blue' Blue fescue Hakonechloa macra 'Aureola' Hakone grass Mand Flower	I Acer palmatum 'Bloodgood' Japanese Maple 'Bloodgood' 2 - 2.5" cal. 3 Thuja occidentalis 'Emerald' 'Emerald Green' Arborvitae 7-8" ht. IBS/VINES 3 Buxus sempervirens Globe Boxwood 15-18" ht. 1 Clematis 'Jackmanii' Clematis 2 gal NNIALS/GRASSES 15 Astilbe 'Deutschland' Astilbe I gal 13 Athyrium niponicum 'Pictum' Japanese Painted Fern 2 gal 5 Ajuga reptans 'Burgundy Glow' Bugleweed I gal 9 Fequisetum hyemale Horsetail 2 gal 9 Festuca ovina 'Elijah Blue' Blue fescue I gal 16 Hakonechloa macra 'Aureola' Hakone grass I gal 17 Gaura lindheimeri 'Whirling Butterflies' Wand Flower I gal

PLANTING NOTES


- All plant material shall be approved by the Landscape Architect prior to arrival on the site.
- All plant material shall conform to the guidelines established by "The American Standard for Nursery Stock", published by the American Association of Nurserymen, Inc.
- No substitution of plant species will be allowed without the written approval of the Landscape Architect. Any proposed substitutions of plant species shall be a plant of equivalent overall form, height and branching habit, flower, leaf and fruit, color and time of bloom.
- The Contractor shall locate and verify all utility line locations prior to staking and report any conflicts to the Landscape Architect.
- All plants shall be staked out in their approximate location by the Contractor. The Contractor shall adjust the locations of these stakes as required by the Landscape Architect to account for subsurface utilities, other field conditions and to achieve design intent. Final locations must be approved by the Landscape Architect prior to planting.
- No planting shall be installed before acceptance of rough grading of topsoil.
- The rootballs of trees shall be planted 3" above adjacent finished grade. Excavate holes no deeper than the rootball of trees. Holes shall be at least 3' greater in diameter than root ball. Backfill planting hole with 'planting mix'. All plants which settle out of plumb or below finished grade shall be immediately replanted.
- The rootballs of shrubs shall be planted 2" above adjacent finished grade. Excavate holes no deeper than the rootball of shrubs.
- All shrubs, groundcovers and perennials shall be planted in continuous planting beds. All beds shall be exca vated 12" and the topsoil and subsoil set aside for reuse. Remove all stone and debris from excavated soil. Backfill beds with 12" of 'planting mix' before planting shrubs, perennials and groundcovers.
- 11 'Planting Mix' shall consist of 2 parts of topsoil saved from site excavations and 1 part compost. Thoroughly mix to create uniform blended mixture. If insufficient topsoil is available on the site, mix existing soil in a ratio of I part soil to I part compost. Remove all stones and debris larger than 2" from planting mix.
- 12 All beds as shown on the drawings shall be edged with a 4" trench neatly cut and backfilled with bark mulch. All beds shall be covered with no less than 2"depth settled bark mulch and no greater than 3" depth bark
- 13. All planting to be done under the full time supervision of a certified arborist, nurseryman or licensed
- 14. All plants are to be thoroughly watered after installation, at least twice within the first 24 hours.





Blair Hines Design 318 Beacon Street Residences

Landscape Plan










Blair Hines Design Associates 3 18 Beacon Street Residences Materials



RC ZONE	REQUIRED	EXISTING	PROPOSED
MIN. LOT SIZE	7500 SF	6840 SF	6840 SF
LOT AREA/DU	875 SF/DU	2280 SF/DU	977 SF/DU
FAR	2	.58 / 3984 SF	1.3 / 9079 SF
MAX GROUND COVER	70% 5250SF	22% / 1537 SF	45% / 3134SF
LANDSCAPE AREA	25% 1875SF	63.8% 4369SF	50% 3426SF
PERMEABLE AREA	30% 2250SF	63.8% 4369SF	50% 3426SF
MAX HEIGHT	40'-0" / 3ST	35' - 0"	40' - 0"
FRONT SETBACK	15'-0"	VARIES	VARIES/EXISTING
LEFT SIDE SETBACK	10' SUM 20'	VARIES	VARIES
RIGHT SIDE SETBACK	10' SUM 20'	VARIES	VARIES
REAR SETBACK	20'-0"	VARIES	VARIES
FRONTAGE	50'-0"	VARIES	VARIES
PARKING			12

BEACON RESIDENCES

PROJECT ADDRESS

318 BEACON STREET SOMERVILLE MA

CLIENT

Beacon Street Partners LLC

KHALSA DESIGN INC.



17 IVALOO STREET SUITE 400 SOMERVILLE, MA 02143

TELEPHONE: 617-591-8682 FAX: 617-591-2086
CONSULTANTS:

COPYRIGHT KDI © 2012
THESE DRAWINGS ARE NOW AND DO
THESE DRAWINGS ARE NOW AND DO
SEMAIN THE SOLE PROPERTY OF KHALSA
DESIGN INC. USE OF THESE PLANS OR ANY
FORM OF REPRODUCTION OF THIS DESIGN
FORM OF REPRODUCTION OF THIS DESIGN
WHITTEN CONSENT IS PROPUBLIFIED
SHALL RESULT IN THE FULLEST EXTENT
OF PROSECUTION UNDER LAW


REGISTRATION



Project number		13020	
Date		12-17-13	
Drawn by		MT	
Checked by		KDI	
Scale REVISIONS		As indicated	
No.	Description	Date	
-			

SITE PLAN


A-010



TELEPHONE: 617-591-8682 FAX: 617-591-208

awiiby					
ecked by		resultant to the			
ale		1/4" = 1			
EVISIO	EVISIONS				
lo.	Description	Date			
_		1			
-		1			
-		+			
		1			
	Water State				

A-100



BEACON RESIDENCES

PROJECT ADDRESS

318 BEACON STREET SOMERVILLE MA

Beacon Street Partners LLC

KHALSA DESIGN INC.




17 IVALOO STREET SUITE 400 SOMERVILLE, MA 02143



Project nu	mber	13020
Date		12-17-13
Drawn by		MT
	Checked by	KD
Scale		1/4" = 1'-0'
REVISIO	ONS	
No.	Description	Date

SECOND, MEZZANINE & **ROOF LEVELS**

A-101



Z/18/2013 5:08:49 PM

BEACON RESIDENCES

PROJECT ADDRESS

318 BEACON STREET SOMERVILLE MA

Beacon Street Partners LLC

ARCHITECT
KHALSA DESIGN INC.



17 IVALOO STREET SUITE 400 SOMERVILLE, MA 02143 TELEPHONE: 617-591-8682 FAX: 617-591-208
CONSULTANTS:

REGISTRATION



Checked by Scale		Checke		
State	The second secon			
REVISION	/ISIONS			
No.	Description	Date		
		1		
		1		
		-		

PERSPECTIVE

A-301



BEACON RESIDENCES

PROJECT ADDRESS

318 BEACON STREET SOMERVILLE MA

CLIENT

Beacon Street Partners LLC

ARCHITECT
KHALSA DESIGN INC.



17 IVALOO STREET SUITE 400 SOMERVILLE, MA 02143 TELEPHONE: 617-591-8682 FAX: 617-591-2086 CONSULTANTS;



15	Drawn by		A	
100	Checked I	by	Chi	
	Scale			
10000	REVISION	ONS		
	No.	Description	D	
			+	
276			140,000,000	

PERSPECTIVE

A-302



BEACON RESIDENCES

PROJECT ADDRESS

318 BEACON STREET SOMERVILLE MA

CLIENT

Beacon Street Partners LLC

ARCHITECT
KHALSA DESIGN INC.



17 IVALOO STREET SUITE 400 SOMERVILLE, MA 02143 TELEPHONE: 617-591-8682 FAX: 617-591-2084 CONSULTANTS:

COPYRIGHT KDI © 2012
THESE DRAWINGS ARE NOW AND DO
REMAIN THE SOLE PROPERTY OF KHALSA
DESIGN INC. USE OT THESE PLANS OR ANY
FORM OF REPRODUCTION OF THIS DESIGN
IN WHOLE OR IN PART WITHOUT EXPRESS
WRITTEN CONSENT IS PROPI

REGISTRATI



Checked by		KD
Scale	1	/16" = 1'-0"
REVISIO	ONS	
No.	Description	Date
		-
		-

SITE CONTEXT

A-303